| Ref<br># | Hits | Search Query  | DBs  | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|--|---------------------|---------|------------------|
| S85      | 7    | S80 and (semiconductor near5 (tool fabricator machine)) and remote and (security authenticat\$5)                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/03/07 09:14 |
| S84      | 0    | S81 and (semiconductor near5 (tool fabricator machine)) and remote and (security authenticat\$5)                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/03/07 09:14 |
| S83      | 0    | S81 and (security authenticat\$5) and (translat\$5 hid\$5) near4 (IP near4 address)                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/03/07 09:14 |
| S82      | 0    | S81 and monitor\$5 and (security authenticat\$5) and (translat\$5 hid\$5) near4 (IP near4 address)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/03/07 09:14 |
| S63      |      | (diagnostic) near5 (semiconductor<br>near5 (tool fabricator machine)) and<br>remote and (security authenticat\$5) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON .    | 2007/03/07 09:14 |
| S81      | 308  | "713"/\$.ccls. and "702"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/03/07 09:13 |
| S73      |      | manufactur\$7 near5 monitor\$5 and (security authenticat\$5) and (translat\$5 hid\$5) near4 (IP near4 address)    | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/03/07 09:13 |

| S80 | 30088 | "713"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/03/07 09:12 |
|-----|-------|--|--|------|------|------------------|
| S79 | 3     | (access) near5 (module) near6 (proxy)<br>near6 server and (translat\$5 hid\$5)<br>near4 (IP near4 address)                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/03/07 09:11 |
| S78 | 0     | (security authenticat\$5) same (access)<br>near5 (module) near6 (proxy) near6<br>server and (translat\$5 hid\$5) near4<br>(IP near4 address) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/03/07 08:42 |
| S77 | 0     | (security authenticat\$5) near6<br>(access) near5 (module) near6 (proxy)<br>same server and (translat\$5 hid\$5)<br>near4 (IP near4 address) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/03/07 08:42 |
| S76 | 103   | (security authenticat\$5) near6<br>(module) same server and (translat\$5<br>hid\$5) near4 (IP near4 address)                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/03/07 08:41 |
| S74 | 9     | (security authenticat\$5) near6<br>(module) same (translat\$5 hid\$5)<br>near4 (IP near4 address)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON   | 2007/03/07 08:26 |
| S72 |       | (remote) near4 manufactur\$7 near5<br>monitor\$5 and (security<br>authenticat\$5) and (translat\$5 hid\$5)<br>near4 (IP near4 address)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON . | 2007/03/07 08:14 |

| S71 | 0   | (remote) near4 manufactur\$7 near5<br>monitor\$5 same (security<br>authenticat\$5) and (translat\$5 hid\$5)<br>near4 (IP near4 address)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/07 08:13 |
|-----|-----|---|--|----|----|------------------|
| S64 | 231 | (diagnostic) and remote and (security<br>authenticat\$5) and (translat\$5 hid\$5)<br>near4 (IP near4 address)                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/07 08:11 |
| S70 | 2   | "6331776".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/07 08:10 |
| S69 | . 2 | "6879940".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/07 08:10 |
| S59 | 89  | (equipment tool) near5 (diagnostic) near5 (module system node server) same (semiconductor near5 (tool fabricator machine))                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/07 08:09 |
| S68 | 11  | remote near7 access\$5 near5<br>(diagnostic manufactur\$7) and<br>(security authenticat\$5) and<br>(translat\$5 hid\$5) near4 (IP near4<br>address) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/06 15:31 |
| S67 | 74  | (diagnostic) near5 ((tool fabricator<br>machine))and remote and (security<br>authenticat\$5) and (translat\$5 hid\$5)<br>near4 (IP near4 address)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/06 15:30 |

| . S66 | 213 | (diagnostic) and remote and (security<br>authenticat\$5) and (translat\$5 hid\$5)<br>near4 (IP near4 address) and ((tool<br>fabricator machine))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/06 15:25 |
|-------|-----|---|--|----|----|------------------|
| S65   | 2   | (diagnostic) and remote and (security authenticat\$5) and (translat\$5 hid\$5) near4 (IP near4 address) and (semiconductor near5 (tool fabricator machine)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/06 15:21 |
| S62   | 2   | (diagnostic) near5 (module system<br>node server) same (semiconductor<br>near5 (tool fabricator machine)) and<br>remote and (security authenticat\$5)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/06 15:16 |
| S61   | 1   | 08/477297   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/06 14:19 |
| S60   | 1   | 08/484660   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/06 14:19 |
| S58   | 89  | (equipment tool) near5 (diagnostic) near5 (module system node server) same (semiconductor near5 (tool fabricator machine))                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | OR | ON | 2007/03/06 14:15 |
| S8    | 65  | (remote) near6 (equipment test tool)<br>near5 (monitor\$5 conduct\$5<br>manag\$5) same (diagnostic\$5) and<br>(semiconductor)                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | OR | ON | 2007/03/06 14:14 |